

Biology

# Class XII Ouestion 1:

Explain antibiotic resistance observed in bacteria in light of Darwinian selection theory. Answer

Darwinian selection theory states that individuals with favourable variations are better adapted than individuals with less favourable variation. It means that nature selects the individuals with useful variation as these individuals are better evolved to survive in the existing environment. An example of such selection is antibiotic resistance in bacteria. When bacterial population was grown on an agar plate containing antibiotic penicillin, the colonies that were sensitive to penicillin died, whereas one or few bacterial colonies that were resistant to penicillin survived. This is because these bacteria had undergone chance mutation, which resulted in the evolution of a gene that made them resistant to penicillin drug. Hence, the resistant bacteria multiplied quickly as compared to nonresistant (sensitive) bacteria, thereby increasing their number. Hence, the advantage of an individual over other helps in the struggle for existence.

# Question 2:

Find out from newspapers and popular science articles any new fossil discoveries or controversies about evolution.

# Answer

Fossils of dinosaurs have revealed the evolution of reptiles in Jurassic period. As a result of this, evolution of other animals such as birds and mammals has also been discovered. However, two unusual fossils recently unearthed in China have ignited a controversy over the evolution of birds.*Confuciusornis* is one such genus of primitive birds that were crow sized and lived during the Creataceous period in China.

# Question 3:

Attempt giving a clear definition of the term species Answer

	Page 1 of 9	
Website: www.vidhyarjan.com	Email: contact@vidhyarjan.com	Mobile: 9999 249717
	H-A-2, Street # 6, East Azad Nagar, Delh e Km from `Welcome' Metro Station)	ii-110051



Chapter 7 – Evolution

Biology

Species can be defined as a group of organisms, which have the capability to interbreed in order to produce fertile offspring.

# Question 4:

Try to trace the various components of human evolution (hint: brain size and function, skeletal structure, dietary preference, etc.)

# Answer

The various components of human evolution are as follows.

- (i) Brain capacity
- (ii) Posture
- iii. Food / dietary preference and other important features

	Name	Brain capacit Y	Posture	Food	Features
1.	<i>Dryopithec us africans</i>		Knuckle walker, walked similar to gorillas and chimpanzees (was more ape-like)	Soft fruit and leaves	Canines large, arms and legs are of equal size
2.	<i>Ramapithe</i> cus		Semi-erect (more man- like)	Seeds, nuts	Canines were small while molars were

#### Page 2 of 9

Website: www.vidhyarjan.com

Email: contact@vidhyarjan.com

Mobile: 9999 249717



# Chapter 7 – Evolution

Biology

					large.
3.	<i>Australopit hecus africanus</i>	450 cm <sup>3</sup>	Full erect posture, height (1.05 m)	Herbivorous (ate fruits)	Hunted with stone weapons, lived at trees, canines and incisors were small
4.	Homo habilis	735cm <sup>3</sup>	Fully erect posture, height (1.5 m)	Carnivorous	Canines were small. They were first tool makers.
5.	<i>Homo</i> erectus	800- 1100 cm <sup>3</sup>	Fully erect posture, height(1.5- 1.8 m)	Omnivorous	They used stone and bone tools for hunting games.
6.	Homo neandertha Insis	1300- 1600 cm <sup>3</sup>	Fully erect posture, height (1.5- 1.66 m)	Omnivorous	Cave dwellers, used hides to protect their bodies, and buried their dead

# Page 3 of 9

Website: www.vidhyarjan.com

Email: contact@vidhyarjan.com

Mobile: 9999 249717



Cla	ss XII		Chapter 7 – E	volution	Biology
7.	Homo sapiens fossilis	1650 cm <sup>3</sup>	Fully erect posture with height (1.8 m)	Omnivorous	They had strong jaw with teeth close together.
					They were cave dwellers, made paintings and carvings in the caves. They developed a culture and were called first modern men.
8.	Homo sapiens sapiens	1200- 1600 cm <sup>3</sup>	Fully erect posture, height (1.5- 1.8 m)	Omnivorous	They are the living modern men, with high intelligence. They developed art, culture, language, speech, etc.

# Page 4 of 9

Website: www.vidhyarjan.com

Email: contact@vidhyarjan.com

Mobile: 9999 249717



Chapter 7 - Evolution

Biology

		They cultiva	ted
		crops a	and
		domesticate	d
		animals.	

# Question 5:

Class XII

Find out through internet and popular science articles whether animals other than man have self-consciousness.

#### Answer

There are many animals other than humans, which have self consciousness. An example of an animal being self conscious is dolphins. They are highly intelligent. They have a sense of self and they also recognize others among themselves and others. They communicate with each other by whistles, tail-slapping, and other body movements. Not only dolphins, there are certain other animals such as crow, parrot, chimpanzee, gorilla, orangutan, etc., which exhibit self-consciousness.

# Question 6:

List 10 modern-day animals and using the internet resources link it to a corresponding ancient fossil. Name both.

# Answer

The modern day animals and their ancient fossils are listed in the following table.

Anir	nal	Fossil
1.	Man	Ramapithecus
2.	Horse	Eohippus

#### Page 5 of 9

Website: www.vidhyarjan.com

Email: contact@vidhyarjan.com

Mobile: 9999 249717



Chapter 7 – Evolution

Biology

3.	Dog	Leptocyon
4.	Camel	Protylopus
5.	Elephant	Moerithers
6.	Whale	Protocetus
7.	Fish	Arandaspis
8.	Tetrapods	Icthyostega
9.	Bat	Archaeonycteris
10.	Giraffe	Palaeotragus

# Question 7:

Practise drawing various animals and plants.

Answer

Ask your teachers and parents to suggest the names of plants and animals and practice drawing them. You can also take help from your book to find the names of plants and animals.

# Question 8:

Describe one example of adaptive radiation.

Answer

Adaptive radiation is an evolutionary process that produces new species from a single, rapidly diversifying lineage. This process occurs due to natural selection. An example of adaptive radiation is Darwin finches, found in Galapagos Island. A large variety of

	Page 6 of 9	
Website: www.vidhyarjan.com	Email: contact@vidhyarjan.com	Mobile: 9999 249717
	H-A-2, Street # 6, East Azad Nagar, Delh e Km from `Welcome' Metro Station)	ni-110051



Chapter 7 - Evolution

Biology

finches is present in Galapagos Island that arose from a single species, which reached this land accidentally. As a result, many new species have evolved, diverged, and adapted to occupy new habitats. These finches have developed different eating habits and different types of beaks to suit their feeding habits. The insectivorous, blood sucking, and other species of finches with varied dietary habits have evolved from a single seed eating finch ancestor.

# **Ouestion 9:**

Can we call human evolution as adaptive radiation?

# Answer

No, human evolution cannot be called adaptive radiation. This is because adaptive radiation is an evolutionary process that produces new species from a single, rapidly diversifying lineage, which is not the case with human evolution. Human evolution is a gradual process that took place slowly in time. It represents an example of anagenesis.

# Question 10:

Using various resources such as your school library or the internet and discussions with your teacher, trace the evolutionary stages of any one animal say horse.

# Answer

The evolution of horse started with *Eohippus* during Eocene period. It involved the following evolutionary stages.

- (i) Gradual increase in body size
- (ii) Elongation of head and neck region
- (iii) Increase in the length of limbs and feet
- (iv) Gradual reduction of lateral digits
- (v) Enlargement of third functional toe
- (vi) Strengthening of the back

# Page 7 of 9

Website: www.vidhyarjan.com

Email: contact@vidhyarjan.com

Mobile: 9999 249717



Chapter 7 - Evolution

Biology

(vii) Development of brain and sensory organs

(viii) Increase in the complexity of teeth for feeding on grass

The evolution of horse is represented as

Eqqus (	Pleistocene period)
	Ť
Pliohipp	us (Pliocene period)
	Ť
Merychip	pus (Miocene period)
	1
Mesohipp	us (Oligocene period)
	t
Eohipp	us (Eocene period)

# (i) Eohippus

It had a short head and neck. It had four functional toes and a splint of 1 and 5 on each hind limb and a splint of 1 and 3 in each forelimb. The molars were short crowned that were adapted for grinding the plant diet.

# (ii) Mesohippus

It was slightly taller than Eohippus. It had three toes in each foot.

# (iii) Merychippus

It had the size of approximately 100 cm. Although it still had three toes in each foot, but it could run on one toe. The side toe did not touch the ground. The molars were adapted for chewing the grass.

# (iv) Pliohippus

It resembled the modern horse and was around 108 cm tall. It had a single functional toe with splint of  $2^{nd}$  and  $4^{th}$  in each limb.

(v) Equus

	Page 8 of 9	
Website: www.vidhyarjan.com	Email: contact@vidhyarjan.com	Mobile: 9999 249717
	I-A-2, Street # 6, East Azad Nagar, Delh & Km from 'Welcome' Metro Station)	i-110051



Biology

Pliohippus gave rise to Equus or the modern horse with one toe in each foot. They have incisors for cutting grass and molars for grinding food.

# Page 9 of 9

Website: www.vidhyarjan.com

Class XII

Email: contact@vidhyarjan.com

Mobile: 9999 249717